

The FIRST fully automatic passive safety peripheral IV catheter with needlestick AND multiple access blood exposure protection that cannot be bypassed.

INTROCAN SAFETY[®] 3 Closed IV Catheter




It's important for a blood control catheter to protect me from blood exposure when I need it.

Introcan Safety[®] 3 IV Catheter

The FIRST fully automatic passive safety IV catheter with:

Multiple Access Blood Control AND Passive Needlestick Protection



Automatically control blood exposure

- Reduce exposure to blood
- Helps reduce clean-up time and materials



Automatically prevents needlesticks

Passive safety shield automatically engages and **cannot be bypassed**

Multiple access blood control

For blood collection, boluses or set changes without blood exposure



Draw blood




Connect extension set



Confidence and Peace of Mind for You


Less Mess, Less Stress

Multi-access Blood Control Septum helps reduce leakage and blood exposure when the needle is removed and every time the hub is accessed for blood sampling, boluses or IV set changes.



Designed to Promote First-Stick Success

Double Flashback Technology is designed to provide a quick visual confirmation of vein puncture with separate needle and catheter flashback.



Designed to Prevent Accidental Needlesticks


Fully Automatic Passive Safety Shield does not require manual activation, CANNOT BE BYPASSED and prevents needle reinsertions when activated.

Designed to Improve Catheter Stability

Integrated Stabilization Platform is designed to improve catheter stability and minimize movement in the vein.

Provides Easy Connections


Ergonomic hub is designed to reduce the risk of touch contamination and keep the connection away from the patient's skin.



Designed to Promote Easy Access for Catheter Insertion

Universal Bevel Needle has a unique back-cut design that is designed to produce a tricuspoid incision for insertion. It also is designed for a wide variety of insertion angles for deep and superficial vascular access.

Universal Bevel - Designed to allow flexibility of insertion angles



The Smart Choice for Your Facility

Size and weight comparison of 25 activated safety catheter needles



Introcan Safety 3 IV Catheters help you cut costs and "go green"

- Generate less waste with smaller, lighter components¹
- Designed to save money through efficiency and waste reduction.

The survey results are in...


A survey of 104 nurses and nurse managers:

- **9 in 10 said the absence of blood leakage during short peripheral IV catheter insertion is important.** Half of respondents cited additional reasons for concern (mess, time, patient comfort).²
- **Shows that the average cost of cleanup due to blood leakage during an IV start is \$0.30.**
- **Blood leakage on bed linens incurs an additional cost of lost nursing time averaging four minutes.**

A survey of 72 APIC members:

- 67% said it's important for safety PIVC with a blood control feature to control blood throughout multiple connections to the hub.³

Passive safety engineered devices are most effective for needlestick injury prevention.⁴



"Consider the use of passive safety-engineered devices for needlestick injury prevention."⁵

1. Data on file
 2. Richardson D, "Reducing blood exposure risks and costs associated with SPIVC insertion", Nursing Management, vol. 42, no. 12, Dec 2011 (reprint p. 1-4).
 3. Internet survey administered by APIC e-newsletter to members of APIC. 3/21/2012 and 3/28/2012

4. Tosini, et al "Needlestick Injury Rates According to Different Types of Safety-Engineered Devices: Results of a French Multicenter Study", Infection Control and Hospital Epidemiology, Vol 31, No. 4, April 2010 (p. 402-407).
 5. Infusion Nurses Society (2016) Infusion Therapy Standards of Practice, Journal of Infusion Nursing Supplement, Vol. 39, no. 1S, Std 18, Practice Criteria B.

Available Configurations

Gauge	Length	Gravity Flow Rate (mL/min)	Power Injection Flow Rates		Material	Order Code
			Contrast Media Viscosity (mPa*s)	Flow Rate mL/sec		
24	0.75 in. (19 mm)	22	2.3 27.5	5 2.5	PUR	4251127-02
22	1.0 in. (25 mm)	35	2.3 27.5	8 5	PUR	4251128-02
20	1.0 in. (25 mm)	65	2.3 27.5	14 10	PUR	4251129-02
20	1.25 in. (32 mm)	60			PUR	4251130-02
20	2.0 in. (50 mm)	55			PUR	4251137-02
18	1.25 in. (32 mm)	105	2.3 27.5	19 15	PUR	4251131-02
18	1.75 in. (45 mm)	95			PUR	4251132-02
16*	1.25 in. (32 mm)	195	Not rated for high pressure injections		PUR	4251136-02
16	2.0 in. (50 mm)	185			PUR	4251133-02

* Check with representative on availability.

B. Braun Medical Inc. | Bethlehem, PA
1-800-227-2862 | BBraunUSA.com

Nexiva, Insyte and Autoguard are trademarks of Becton, Dickinson and Company. ViaValve is a trademark of Smiths Medical.

Rx Only. © 2019 B. Braun Medical Inc., Bethlehem, PA. All Rights Reserved. VAD76_7/19