

MATERIAL SAFETY DATA SHEET 3M  
 3M Center  
 St. Paul, Minnesota  
 55144-1000  
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 2001, Minnesota Mining and Manufacturing Company.  
 All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:  
 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and  
 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: MEDICAL-SURGICAL DIVISION

TRADE NAME:

STERI-STRIP SKIN CLOSURE R1540, 1541, 1542, 1546, 1547, 1548, 1549, H1546 and H1547

ID NUMBER/U.P.C.:

70-2004-7796-9	+H-44402-36432-0	70-2004-7797-7	+H-44402-36533-0
70-2004-7798-5	+H-44402-36634-0	70-2004-7799-3	+H-44402-36735-0
70-2004-7801-7	+H-44402-36836-0	70-2005-3112-0	+H-44406-25131-0
70-2006-5414-6	07-07387-37130-3	70-2006-6828-6	00-51131-64124-7
70-2006-6829-4	00-51131-64125-4		

ISSUED: June 06, 2001

SUPERSEDES: May 14, 2001

DOCUMENT: 10-8462-3

1. INGREDIENT	C.A.S. NO.	PERCENT
ADHESIVE ACRYLATE; BACKING NONWOVEN RAYON; YARN POLYESTER; LINER PAPER....	Unknown	100

2. PHYSICAL DATA

BOILING POINT:..... N/A  
 VAPOR PRESSURE:..... N/A  
 VAPOR DENSITY:..... N/A  
 EVAPORATION RATE:..... N/A  
 SOLUBILITY IN WATER:..... INSOLUBLE  
 SPECIFIC GRAVITY:..... N/A  
 PERCENT VOLATILE:..... N/A  
 pH:..... N/A  
 VISCOSITY:..... N/A  
 MELTING POINT:..... N/D

APPEARANCE AND ODOR:

WHITE OPAQUE, SLIGHT ACRYLIC ODOR

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: STERI-STRIP SKIN CLOSURE R1540, 1541, 1542, 1546, 1547, 1548, 1549, H1546 and H1547

June 06, 2001

PAGE 2

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A  
FLAMMABLE LIMITS - LEL:..... N/A  
FLAMMABLE LIMITS - UEL:..... N/A  
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:  
Water

SPECIAL FIRE FIGHTING PROCEDURES:  
None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS:  
None known.

---

#### 4. REACTIVITY DATA

---

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:  
Information missing.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:  
Information missing.

---

#### 5. ENVIRONMENTAL INFORMATION

---

SPILL RESPONSE:  
N/A

RECOMMENDED DISPOSAL:  
DISPOSE OF IN NORMAL WASTE

ENVIRONMENTAL DATA:  
N/A

REGULATORY INFORMATION:  
Volatile Organic Compounds: N/A.  
VOC Less H2O & Exempt Solvents: N/A.

EPCRA HAZARD CLASS:  
FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

---

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: STERI-STRIP SKIN CLOSURE R1540, 1541, 1542, 1546, 1547, 1548, 1549,  
H1546 and H1547

June 06, 2001

PAGE 3

---

#### 6. SUGGESTED FIRST AID

---

EYE CONTACT:  
No need for first aid is anticipated.

SKIN CONTACT:  
No need for first aid is anticipated.

If skin irritation occurs, discontinue use.

INHALATION:  
No need for first aid is anticipated.

IF SWALLOWED:  
No need for first aid is anticipated.

---

7. PRECAUTIONARY INFORMATION

---

EYE PROTECTION:  
Not determined.

No adverse health effects expected.

SKIN PROTECTION:  
Not determined.

May cause minimal skin irritation on prolonged or repeated exposure.  
Material is hypoallergenic.

RECOMMENDED VENTILATION:  
Not determined.

RESPIRATORY PROTECTION:  
Not applicable.

PREVENTION OF ACCIDENTAL INGESTION:  
Not determined.

No adverse health effects expected.

RECOMMENDED STORAGE:  
Not applicable.

FIRE AND EXPLOSION AVOIDANCE:  
Not applicable.

---

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: STERI-STRIP SKIN CLOSURE R1540, 1541, 1542, 1546, 1547, 1548, 1549,  
H1546 and H1547

June 06, 2001

PAGE 4

---

7. PRECAUTIONARY INFORMATION (continued)

---

OTHER PRECAUTIONARY INFORMATION:  
N/A

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
ADHESIVE ACRYLATE; BACKING NONWOVEN RAYON; YARN POLYESTER; LINER PAPER.....	NONE	NONE	NONE	NONE	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:  
- NONE: None Established

---

8. HEALTH HAZARD DATA

---

EYE CONTACT:  
NO ADVERSE HEALTH EFFECTS EXPECTED.

SKIN CONTACT:  
Mild Skin Irritation (after prolonged or repeated contact):  
signs/symptoms can include redness, swelling, and itching.

Prolonged or repeated exposure may cause:

Mild Skin Irritation: signs/symptoms can include redness,  
swelling, and itching.

INHALATION:  
NO ADVERSE HEALTH EFFECTS EXPECTED.

IF SWALLOWED:  
NO ADVERSE HEALTH EFFECTS EXPECTED.

---

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately  
□  
MSDS: STERI-STRIP SKIN CLOSURE R1540, 1541, 1542, 1546, 1547, 1548, 1549,  
H1546 and H1547  
June 06, 2001 PAGE 5

---

SECTION CHANGE DATES

---

HEADING	SECTION CHANGED SINCE	ISSUE
---------	-----------------------	-------

May 14, 2001

ISSUE

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately  
-----

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

□