

OnGuard® 2 & CADM Materials of Construction

<p><u>CATHETER ADAPTOR</u> <u>412123</u></p>	<p>Connector: ABS Elastomer: Polyisoprene Tubing: PVC- Not made with DEHP Female Luer lock: PVC- Not made with DEHP</p>	<p>Cap: Polyethylene</p>
<p><u>SECONDARY IV SAFETY SET WITH ULTRASITE</u> <u>412140</u></p>	<p>Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Tubing: PVC- Not made with DEHP Drip chamber: PVC- Not made with DEHP 1. Cover: ABS 2. Filter: Polyamide (15 um) ULTRASITE® Needle-free Valve: 1. Polycarbonate 2. Silicone 3. Stainless Steel (spring-not in fluid path) Male Luer Lock: ABS</p>	<p>Cap Spike: Polyethylene Pinch Clamp: Polyacetal Roller clamp: ABS Slide clamp: Polypropylene Blue Flow Stop Cap: Polypropylene + PVDF membrane</p>
<p><u>BAG ADAPTOR LL</u> <u>412142</u></p>	<p>Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Tubing: PVC- Not made with DEHP Male Luer Lock: ABS</p>	<p>Cap Spike: Polyethylene Pinch Clamp: Polyacetal Blue Flow Stop Cap: Polypropylene + PVDF membrane</p>
<p><u>BAG ADAPTOR SP</u> <u>412143</u></p>	<p>Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Tail: Polyurethane</p>	<p>Cap Spike: Polyethylene</p>
<p><u>BAG ADAPTOR LL W/ULTRASITE</u> <u>412145</u></p>	<p>Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Tubing: PVC- Not made with DEHP ULTRASITE® Needle-Free Valve: 1. Polycarbonate 2. Silicone 3. Stainless Steel (spring-not in fluid path) Male Luer Lock: ABS</p>	<p>Cap Spike: Polyethylene Pinch Clamp: Polyacetal Blue Flow Stop Cap: Polypropylene + PVDF membrane</p>
<p><u>BAG ADAPTOR SP W/ULTRASITE</u> <u>412146</u></p>	<p>Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Tubing: PVC- Not made with DEHP ULTRASITE® Needle-free Valve: 1. Polycarbonate 2. Silicone 3. Stainless Steel (spring-not in fluid path)</p>	<p>Cap Spike: Polyethylene Pinch Clamp: Polyacetal</p>

OnGuard® 2 & CADM Materials of Construction

	Twist off & Connector: PVC - Not made with DEHP	
<u>LUER LOCK ADAPTOR</u> <u>412160</u>	Housing: Copolyester Elastomer: Polyisoprene, Silicone oil	
<u>VIAL ADAPTOR</u> <u>412161 & 412162</u>	Spike: Polypropylene Elastomer: Polyisoprene, Silicone oil Spike & Elastomer: Silicone oil lubricant Filter (0.2 um- Membrane): Acrylic copolymer cast on non-woven Nylon support	Charcoal cloth Housing: Copolyester+ Polypropylene Converter (13mm): Copolyester "Cover: Polyethylene VA Cap: Polypropylene" Drug binding matrix: Activated charcoal
<u>SYRINGE ADAPTOR</u> <u>412163</u> <u>SYRINGE ADAPTOR</u> <u>LOCK</u> <u>412164</u>	Elastomer Housing: Copolyester Elastomer: Polyisoprene, Silicone oil Hub + Luer: Copolyester Needle: Stainless Steel	body and Clamp: Polyacetal Cap: Polyethylene Spring: Stainless Steel
<u>CONNECTING SET</u> <u>412165</u>	Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Tubing: PVC- Not made with DEHP Drip chamber: PVC- Not made with DEHP 1. Cover: ABS 2. Filter: Polyamide (15 um) Male Luer lock: ABS	Cap Spike: Polyethylene Pinch Clamp: Polyacetal Roller clamp: ABS Blue Flow Stop Cap: Polypropylene + PVDF membrane
<u>BAG ADAPTOR PORT</u> <u>412166</u>	Spike: Copolyester Elastomer: Polyisoprene, Silicone oil Luer Housing: Copolyester	Cap Spike: Polyethylene
<u>CLOSED Y INLINE SET</u> <u>412167</u>	Elastomer Housing: Copolyester Elastomer: Polyisoprene, Silicone oil Hub + Luer: Copolyester Needle: Stainless Steel Spike: ABS Tubing: PVC- Not made with DEHP Twist off & Connector: PVC Not made with DEHP 3 WAY: PVC- Not made with DEHP	body and Clamp (SA): Polyacetal Cap (SA): Polyethylene Spring: Stainless Steel Roller clamp: ABS Cap (spike): Polyethylene

OnGuard® 2 & CADM Materials of Construction

<p><u>CLOSED SECONDARY IV SET</u> <u>412168</u></p>	<p>Elastomer Housing: Copolyester Elastomer: Polyisoprene, Silicone oil Hub + Luer: Copolyester Needle: Stainless Steel Tubing: PVC- Not made with DEHP Drip chamber: PVC- Not made with DEHP 1. Cover: ABS 2. Filter: Polyamide (15 um) Male Luer lock: ABS</p>	<p>body and Clamp (SA): Polyacetal Cap: Polyethylene Spring: Stainless Steel Pinch Clamp: Polyacetal Roller clamp: ABS Blue Flow Stop Cap: Polypropylene + PVDF membrane</p>
<p><u>CLOSED ADAPTOR SP</u> <u>412169</u></p>	<p>Elastomer Housing: Copolyester Elastomer: Polyisoprene, Silicone oil Hub + Luer: Copolyester Needle: Stainless Steel Tail: Polyurethane</p>	<p>Body and Clamp: Polyacetal Cap: Polyethylene Spring: Stainless Steel</p>