



Infusion Systems Product Catalog

Effective January, 2022

Contents

- Space® Infusion System D1-2
 - DoseTrac® Space Infusion Management Software
and EMR Connectivity..... D3
 - Space® Service Programs D4
 - Infusomat® Space Pump Sets D5-12
 - Extension Sets D13-14
- Outlook® Pump Sets D15-16
- Vista® basic Infusion Pump and Pump Sets D17-18
- IV Poles and Stands..... D19

Space® Infusion System

Description	Product Code	Unit Per cs
-------------	--------------	-------------

Infusomat® Space Volumetric Infusion Pump, 2nd Generation



Key features include: dose error reduction software; wireless integration allows for complete interoperability; KeyGuard non-numeric keypad eliminates zero vs. decimal errors; versatile, compact design using vertical stacking saves space; an intuitive user interface is designed to help reduce staff training time; ability to change care units for patient transfer without stopping infusion.

Wireless	8713051U	1
Non-wireless	8713052U	1

Perfusor® Space Infusion Syringe Pump, 2nd Generation



Key features include: dose error reduction software; wireless integration for complete interoperability; automated syringe drive arm and piston brake designed to prevent accidental boluses during syringe change; post-occlusion bolus reduction software designed to minimize bolus after occlusion; KeyGuard non-numeric keypad eliminates zero vs. decimal errors; compact design using vertical stacking saves space; ability to change care units for patient transfer without stopping infusion.

Wireless	8713031U	1
Non-wireless	8713032U	1

Perfusor® PCA Syringe Pump



Distinctive PCA faceplate on the keypad differentiates the device from other Space pumps. Dose error reduction software including weight based PCA dosing limits; automated syringe drive arm and piston brake designed to prevent accidental boluses during syringe change. Dedicated lockbox secures the pump and locks to the IV pole.

Non-wireless	8713080U	1
Lockbox	8713330	1

SpaceStation MRI



The SpaceStation MRI allows Space infusion pumps to continuously deliver medications to patients within the MRI suite. Customizable with up to 4 Space Infusion pumps, including the Infusomat large volume, Perfusor syringe pump and Perfusor PCA syringe pump. Tesla⁵vy Technology continuously measures the magnetic flux density within the MRI room with visual and audible alarms to ensure proper placement of the device.

SpaceStation MRI	8713152	1
------------------	---------	---

Space® Infusion System

Description	Product Code	Unit Per cs
SpaceStation/SpaceStation with SpaceCom		
	<p>The SpaceStation houses up to 4 Space pumps in each station. Multiple SpaceStations can be stacked together vertically to house up to 12 pumps on one Space IV pole, requiring only a single power cord to power/charge all pumps within a SpaceStation tower. Pumps can be stored in SpaceStation to charge when not in use. Centralized alarm indicator lights. Alarm volume can be adjusted for all pumps in SpaceStation to accommodate different clinical areas. SpaceCom module allows for wired and wireless connectivity. NOTE: SpaceCover Comfort is required for each SpaceStation tower.</p>	
SpaceStation	8713140U	1
SpaceStation with SpaceCom	8713142U	1
SpaceCover Comfort	8713145U	1

Space Pump Accessories



Space Power Cord	8713112D	1
Space Pole Clamp (Speed Clamp)	8713131	1
Combi Lead Cable	8713133	1
Interface Cable	8713230	1

See page D19 for IV poles and stands

Space[®] Infusion System

Description	Product Code	Unit Per cs
DoseTrac[®] Infusion Management Software		
<p>DoseTrac provides real-time information and retrospective reporting to support quality initiatives. DoseTrac is a tool to collect, manage and analyze infusion data. DoseTrac collects and stores real-time infusion information in a database and makes this information available to both end users and Electronic Medical Records (EMR). Note: DoseTrac is not designed to be used for patient monitoring.</p>		
DoseTrac Space Infusion Management System, Implementation and Clinical Analysis (Outpatient facilities)	DTSPTR1	1
DoseTrac Space Infusion Management System, Implementation and Clinical Analysis (Hospital)	DTSPTR4	1

EMR Connectivity and Interoperability

B. Braun meets the following IHE HL7 PCD communication standards to make the most out of system integrations with EMR systems, RTLS/RFID systems, Alarm Management Systems, and other devices.

- Device Enterprise Communication (DEC – PCD-01 AutoDocumentation)
- Infusion Pump Event Communication (IPEC – PCD-10 AutoDocumentation)
- Point-of-Care Infusion Verification (PIV – PCD-03 AutoProgramming)
- Alarm Communication Management (ACM – PCD-04 AutoNotification)
- Medical Equipment Management Device Management Communication (MEMDMC – PCD-15 Device Information)
- Medical Equipment Management Location Services (MEMLS – PCD-16 AutoLocation)

EMR integration requires:

DoseTrac Infusion Management Software		
DoseLink Integration Interface Software.....	SPDLSW1	1
Integration Connectivity Implementation per unique Drug Library.....	INTFEE1	1
Annual Connectivity Service.....	SYSINT	1
For multi-facility organizations, standardizing to one drug library can reduce the cost and amount of time required for subsequent location's integration implementation projects.		
Integration Connectivity Implementation per duplicate Drug Library.....	INTFEE2	1

Space® Service Programs

Parts Program

- Note: An account must successfully complete B. Braun's Space® Technical Training before the account can order parts.
- Parts needed to repair the pump can be ordered from B. Braun Customer Support and shipped to the account. The cost of the parts is included in the price of the Parts Program.
- If a pump is sent to the B. Braun Service Center in Carrollton, TX for repairs, the account will be charged for labor only.

Full Service Program

- A B. Braun Service Technician will visit the account to perform repairs.
- Repairs due to normal use are covered.
- Customized pricing based on customer specific needs.



Flat Rate Program

- Space pumps are returned to the B. Braun Service Center in Carrollton, TX for repair.
- Repairs which are deemed necessary due to faults in parts or workmanship are included in the price of the Flat Rate Program and will be completed at no additional charge.




Note:

- All Programs are subject to the terms and conditions of the respective program agreements.
- All Programs have a 3 year minimum.
- If a program is purchased, all Space devices at an account must be covered by the selected program.
- Batteries and battery repair kits are not included in the programs.
- Discounted Technical Safety Checks are included in the programs.







Infusomat® Space® Pump Sets without Luer Access Devices and Injection Sites



Description	Product Code	Unit Per cs
 <p>(15 drops/mL) Universal spike, roller clamp, free flow protection clamp, slide clamp, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 122 in. (approx. 310 cm)</p>	362035	24
 <p>(60 drops/mL) Yellow-striped microbore tubing for epidural administration, universal spike, free flow protection clamp, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 11 mL, Length: 129 in. (approx. 328 cm)</p>	490038	24
 <p>(60 drops/mL) Low adsorption set with polyethylene-lined tubing, universal spike, free flow protection clamp, roller clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 24 mL, Length: 130 in. (approx. 330 cm)</p>	490037	24

Infusomat® Space® Pump Sets with SAFELINE® Split Septum Injection Sites



Description	Product Code	Unit Per cs
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three SAFELINE split septum injection sites approx. 93 in., 60 in. and 6 in. above distal end, free flow protection clamp, roller clamp, backcheck valve at distal Y-site. SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 119 in. (approx. 302 cm)</p>	362032	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three SAFELINE split septum injection sites approx. 105 in., 72 in., and 6 in. above distal end, free flow protection clamp, backcheck valve, roller clamp, Supor® Membrane 0.2 micron air eliminating filter, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 27 mL, Length: 133 in. (approx. 338 cm)</p>	362050	24
 <p>(60 drops/mL) Non-vented spike, roller clamp, 150 mL burette with 15 micron air guard filter and SAFELINE split septum injection site, slide clamp, pressure limited check valve, two SAFELINE injection sites approx. 86 in. and 6 in. above distal end, free flow protection clamp, roller clamp, backcheck valve, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 21 mL, Length: 121 in. (approx. 307 cm)</p>	362034	20
 <p>(10 drop) Two non-vented spikes, two roller clamps, 170 micron blood filter, free flow protection clamp, roller clamp, backcheck valve at distal Y-site, SAFELINE split septum injection site 6 in. above distal end, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 40 mL, Length: 123 in. (approx. 312 cm)</p>	362043	24

Infusomat® Space® Pump Sets with CARESITE® Luer Access Devices







Description	Product Code	Unit Per cs
 <p>(15 drops/mL) Universal spike, free flow protection clamp, roller clamp, CARESITE luer access device 6 in. above distal end, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 119 in. (approx. 302 cm)</p>	362031	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 93 in. and 6 in. above distal end, free flow protection clamp, roller clamp, backcheck valve at distal Y-site, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 120 in. (approx. 305 cm)</p>	490102	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three CARESITE luer access devices approx. 96 in., 60 in., and 6 in. above distal end, free flow protection clamp, backcheck valve, roller clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 23 mL, Length: 123 in. (approx. 312 cm)</p>	490100	24
 <p>(15 drops/mL) Universal spike, UV-resistant tubing, free flow protection clamp, roller clamp, SUPOR® 0.2 micron air-eliminating filter, slide clamp, CARESITE luer access device 6 in. above distal end, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 23 mL, Length: 119 in. (approx. 302 cm)</p>	470119	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 94 in. and 6 in. above distal end, free flow protection clamp, roller clamp, SUPOR 0.2 micron air-eliminating filter, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 24 mL, Length: 120 in. (approx. 305 cm)</p>	490103	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 100 in. and 6 in. above distal end, free flow protection clamp, roller-clamp, SUPOR® 1.2 micron air-eliminating filter, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 25 mL, Length: 124 in. (approx. 315 cm)</p>	362033	24
 <p>(60 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 92 in. and 6 in. above distal end, free flow protection clamp, roller clamp, flow restrictor, backcheck valve at distal Y-site, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 21 mL, Length: 118 in. (approx. 300 cm)</p>	490104	24
 <p>(60 drops/mL) Non-vented spike, roller clamp, 150 mL burette with 15 micron air guard filter and CARESITE luer access device, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 88 in. and 6 in. above distal end, free flow protection clamp, roller clamp, flow restrictor, backcheck valve at distal Y-site, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 21 mL, Length: 130 in. (approx. 330 cm)</p>	490101	20

Description	Product Code	Unit Per cs
Infusomat® Space Pump Sets with CARESITE® Luer Access Devices (continued)		
	362911	24
<p>Infusomat Space Add-On pump set, female luer lock adapter, free flow protection clamp, roller clamp, CARESITE luer access device 6 in. above distal end, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 14 mL, Length: 84 in. (approx. 213 cm)</p>		
	490105	24
<p>(10 drops/mL) Y-type blood set, two non-vented spikes, two roller clamps, 170 micron blood filter, free flow protection clamp, roller clamp, backcheck valve, CARESITE luer access device 6 in. above distal end, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 41 mL, Length: 129 in. (approx. 328 cm)</p>		





Infusomat® Space Pump Sets without Luer Access Devices and with Pre-attached ASV (Anti-siphon Valve)



Description	Product Code	Unit Per cs
 <p>(15 drops/mL) Universal spike, roller clamp, free flow protection clamp, slide clamp, SPIN-LOCK® connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 123 in. (approx. 312 cm)</p>	363904	24
 <p>(60 drops/mL) Universal spike, yellow-striped microbore tubing for epidural administration, free flow protection clamp, slide clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 11 mL, Length: 129 in. (approx. 328 cm)</p>	363901	24
 <p>(60 drops/mL) Low adsorption set with polyethylene-lined tubing, universal spike, free flow protection clamp, roller clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 25 mL, Length: 130 in. (approx. 330 cm)</p>	363902	24

Infusomat® Space Pump Sets with SAFELINE® Split Septum Injection Sites and Pre-attached ASV Valve




Description	Product Code	Unit Per cs
 <p>(60 drops/mL) Universal spike, slide clamp, pressure limited check valve, two SAFELINE split septum injection sites, approx. 82 in. and 6 in. above distal end, free flow protection clamp, roller clamp, flow restrictor, backcheck valve at distal Y-site, SPIN-LOCK® connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 118 in. (approx. 300 cm)</p>	363021	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three SAFELINE split septum injection sites, approx. 104 in., 70 in. and 6 in. above distal end, free flow protection clamp, roller clamp, backcheck valve at distal Y-site, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 119 in. (approx. 302 cm)</p>	363030	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three SAFELINE split septum injection sites, approx. 103 in., 60 in. and 8 in. above distal end, free flow protection clamp, roller clamp, backcheck valve at distal Y-site, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 25 mL, Length: 134 in. (approx. 340 cm)</p>	363033	24
 <p>(20 drops/mL) Universal spike, roller clamp, 150 mL burette with 15 micron air guard filter and SAFELINE split septum injection site, slide clamp, free flow protection clamp, three SAFELINE injection sites approx. 62 in., 36 in. and 6 in. above distal end, roller clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 20 mL, Length: 119 in. (approx. 302 cm)</p>	363032	24
 <p>(60 drops/mL) Non-vented spike, roller clamp, 150 mL burette with 15 micron air guard filter and SAFELINE split septum injection site, slide clamp, pressure limited check valve, two SAFELINE injection sites approx. 71 in. and 6 in. above distal end, free flow protection clamp, roller clamp, flow restrictor, backcheck valve at distal Y-site, slide clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 21 mL, Length: 121 in. (approx. 307 cm)</p>	363010	24
 <p>Y-type blood set, two non-vented spikes, two roller clamps, 170 micron blood filter, free flow protection clamp, roller clamp, backcheck valve at distal Y-site, SAFELINE split septum injection site 6 in. above distal end, SPIN-LOCK connector. Removable anti-siphon valve. Not made with natural rubber latex. Priming volume: 40 mL, Length: 123 in. (approx. 312 cm)</p>	363019	24









Infusomat® Space Pump Sets with CARESITE® Luer Access Devices and Pre-attached ASV Valve

Description	Product Code	Unit Per cs
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 88 in. and 6 in. above distal end, free flow protection clamp, roller clamp, slide clamp, backcheck valve at distal Y-site, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 120 in. (approx. 305 cm)</p>	363421	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three CARESITE luer access devices approx. 104 in., 70 in. and 6 in. above distal end, free flow protection clamp, backcheck valve, roller clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 23 mL, Length: 123 in. (approx. 312 cm)</p>	363430	24
 <p>(15 drops/mL) Universal spike, roller clamp, pressure limited check valve, three CARESITE luer access devices approx. 102 in., 70 in. and 6 in. above distal end, free flow protection clamp, backcheck valve, roller clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 120 in. (approx. 305 cm)</p>	363433	24
 <p>(60 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 82 in. and 6 in. above distal end, free flow protection clamp, roller clamp, flow restrictor, backcheck valve at distal Y-site, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 21 mL, Length: 118 in. (approx. 300 cm.)</p>	363423	24
 <p>(15 drops/mL) UV-resistant tubing, universal spike, free flow protection clamp, roller clamp, SUPOR® 0.2 micron air eliminating filter, slide clamp, CARESITE luer access device 6 in. above distal end, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 23 mL, Length: 119 in. (approx. 302 cm.)</p>	363410	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 82 in. and 6 in. above distal end, free flow protection clamp, roller clamp, SUPOR 0.2 micron air eliminating filter, slide clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 24 mL, Length: 120 in. (approx. 305 cm.)</p>	363420	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 100 in., and 6 in. above distal end, free flow protection clamp, roller clamp, SUPOR 1.2 micron air eliminating filter, slide clamp, SPIN-LOCK connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 25 mL, Length: 124 in. (approx. 315 cm)</p>	363424	24




Description	Product Code	Unit Per cs
<p>Infusomat Space Pump Sets with CARESITE® Luer Access Devices and Pre-attached ASV Valve (continued)</p>		
 <p>A detailed line drawing of the Infusomat Space Pump Set 363422. It features a central 150 mL burette with a 15 micron air guard filter. The set includes a non-vented spike, roller clamps, a pressure limited check valve, two CARESITE luer access devices, a slide clamp, a free flow protection clamp, a roller clamp, a flow restrictor, a backcheck valve at a distal Y-site, another slide clamp, and a SPIN-LOCK connector. A removable anti-siphon valve is also present.</p>	363422	24
<p>(60 drops/mL) Non-vented spike, roller clamp, 150 mL burette with 15 micron air guard filter and CARESITE luer access device, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 71 in. and 6 in. above distal end, free flow protection clamp, roller clamp, flow restrictor, backcheck valve at distal Y-site, slide clamp, SPIN-LOCK® connector. Removable anti-siphon valve. Not made with DEHP or natural rubber latex. Priming volume: 21 mL, Length: 130 in. (approx. 330 cm)</p>		
 <p>A detailed line drawing of the Y-type blood set 363419. It consists of two non-vented spikes connected to a central line. The set includes two roller clamps, a 170 micron blood filter, a free flow protection clamp, a roller clamp, a backcheck valve at a distal Y-site, a CARESITE luer access device, and a SPIN-LOCK connector. A removable anti-siphon valve is also included.</p>	363419	24
<p>Y-type blood set, two non-vented spikes, two roller clamps, 170 micron blood filter, free flow protection clamp, roller clamp, backcheck valve at distal Y-site, CARESITE luer access device 6 in. above distal end, SPIN-LOCK connector. Removable anti-siphon valve. Not made with natural rubber latex. Priming volume: 41 mL, Length: 129 in. (approx. 328 cm)</p>		

Extension Sets

Description	Product Code	Unit Per cs
Microbore Extension Sets - Polyethylene lined		
 <p>Microbore extension set, 0.02 in. ID., female luer and distal male SPIN-LOCK®, slide clamp. Not made with DEHP or natural rubber latex. Priming volume: 0.3 mL, Length: 36 in. (approx. 91 cm)</p>	V6220	50
 <p>Microbore extension set, 0.02 in. ID., female luer and distal male SPIN-LOCK, slide clamp. Not made with DEHP or natural rubber latex. Priming volume: 0.5 mL, Length: 60 in. (approx. 152 cm)</p>	V6222	50
 <p>Microbore extension set, 0.03 in. ID., female luer and distal male SPIN-LOCK, slide clamp. Not made with DEHP or natural rubber latex. Priming volume: 0.6 mL, Length: 36 in. (approx. 91 cm)</p>	V6203	50
 <p>Microbore extension set, 0.03 in. ID., female luer and distal male SPIN-LOCK, slide clamp. Not made with DEHP or natural rubber latex. Priming volume: 0.8 mL, Length: 60 in. (approx. 152 cm)</p>	V6223	50
 <p>Microbore extension set, 0.03 in. ID., 0.2 micron filter, female luer and distal male SPIN-LOCK, slide clamp. Not made with natural rubber latex. Priming volume: 1.3 mL, Length: 60 in. (approx. 152 cm)</p>	V6215	50
 <p>Microbore extension set, 0.020 in. ID, female luer connector, removable slide clamp, male luer lock connector. Not made with DEHP or natural rubber latex. Priming volume: 0.6 mL. Length 19 in. (approx. 48 cm)</p>	V5424	50







Description	Product Code	Unit Per cs
Standard Bore Extension Sets		
 <p>Standard bore extension set, female luer connector, injection site 4 inches above distal end, distal SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 1.2 mL, Length: 8 in. (approx. 20 cm)</p>	V5402	50
 <p>Standard bore extension set, female luer connector, distal SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 3 mL, Length 21 in. (approx. 53 cm)</p>	V5406	50
 <p>Standard bore extension set, female luer connector, two injection sites approx. 24 and 6 inches above distal end, slide clamp, distal SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 5 mL, Length: 34 in. (approx. 86 cm)</p>	V5409	50
 <p>Standard bore extension set, female luer connector, roller clamp, distal SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 4.3 mL, Length: 31 in. (approx. 79 cm)</p>	V5484	50
 <p>Standard bore extension set, female luer connector, slide clamp, distal SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 4.3 mL, Length: 30 in. (approx. 76 cm)</p>	473012	100
Small Bore Extension Sets		
 <p>Small bore extension set, 0.050 in. ID, female luer connector, slide clamp, distal SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 0.4 mL, Length 13 in. (approx. 33 cm)</p>	473105	100
 <p>Small bore extension set, female luer connector, slide clamp, distal male SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 2 mL, Length: 61 in. (approx. 155 cm)</p>	471973	100
 <p>Small bore T-Port extension set, female luer lock connector, slide clamp, distal T-port with male luer slip connector. Not made with natural rubber latex. Priming volume: 1.2 mL, Length: 38 in. (approx. 97 cm)</p>	473022	100

Outlook® Safety Infusion System Pump Sets For Use with Outlook Safety Infusion System

Description	Product Code	Unit Per cs
 <p data-bbox="134 453 1227 506">Female luer lock connector, free flow protection clamp, roller clamp, injection site 6 in. above distal end, SPIN-LOCK® connector. Not made with natural rubber latex. Priming volume: 18 mL, Length: 90 in. (approx. 229 cm)</p>	V7400	24
<p data-bbox="134 533 1159 569">Outlook Pump Universal Spike Set - Low Adsorption Polyethylene-lined Tubing</p>		
 <p data-bbox="134 663 1247 716">(60 drops/mL) Low Adsorption set with polyethylene-lined tubing, universal spike, free flow protection clamp, roller clamp, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 30 mL, Length: 138 in. (approx. 351 cm)</p>	V7450	24
<p data-bbox="134 751 1362 787">Outlook Pump Primary Administration Set with Microbore Tubing for Epidural Administration</p>		
 <p data-bbox="134 890 1240 968">(60 drops/mL) Universal spike, yellow striped microbore tubing for epidural administration, free flow protection clamp, slide clamp, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 16 mL, Length: 124 in. (approx. 315 cm)</p>	V7453	24

Outlook® Safety Infusion System Pump Sets with CARESITE® Set Luer Access Devices

For Use with Outlook Safety Infusion System

Description	Product Code	Unit Per cs
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE® luer access devices approx. 103 in. and 6 in. above distal end, free flow protection clamp, roller clamp, slide clamp, SPIN-LOCK® connector. Not made with natural rubber latex. Priming volume: 27 mL, Length: 129 in. (approx. 328 cm)</p>	354212	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three CARESITE luer access devices approx. 88 in., 68 in. and 6 in. above distal end, free flow protection clamp, roller clamp, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 27 mL, Length: 134 in. (approx. 340 cm)</p>	354213	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, three CARESITE luer access devices approx. 116 in., 70 in., and 6 in. from distal end, free flow protection clamp, roller clamp, backcheck valve, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 24 mL, Length: 136 in. (approx. 345 cm)</p>	352034	24
 <p>(15 drops/mL) Universal spike, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 86 in. and 6 in. above distal end, free flow protection clamp, roller clamp, Supor® 0.2 micron air eliminating filter, slide clamp, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 26 mL, Length: 119 in. (approx. 302 cm)</p>	354214	24
 <p>(15 drops/mL) Universal spike, slide clamp, free flow protection clamp, roller clamp, Supor 1.2 micron air eliminating filter, slide clamp, CARESITE luer access device 6 in. above distal end, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 24 mL, Length: 120 in. (approx. 305 cm)</p>	474004	24
 <p>(60 drops/mL) Non-vented spike, roller clamp, 150 mL burette with 15 micron air guard filter and CARESITE luer access device, slide clamp, pressure limited check valve, two CARESITE luer access devices approx. 84 in., and 6 in. above distal end, free flow protection clamp, roller clamp, SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 25 mL, Length: 120 in. (approx. 305 cm)</p>	375511	20
<p>Outlook Pump Blood Administration Set with CARESITE Luer Access Device</p>		
 <p>(10 drops/mL) Y-type blood set, two non-vented spikes, two roller clamps, 170 micron blood filter, free flow protection clamp, roller clamp, CARESITE luer access device 6 in. above distal end and SPIN-LOCK connector. Not made with natural rubber latex. Priming volume: 46 mL, Length 130 in. (approx. 330 cm)</p>	354216	24

Vista® basic Infusion Pump

Description	Product Code	Unit Per cs
-------------	--------------	-------------

Vista® basic Infusion Pump



Features include: Pump based free flow protection; Straight-line tubing; Quick start-up for continuous infusions by entering rate and volume, then press START; Program Mode and Ramp/Taper Mode; Helpful prompts to walk the user through the programming process.

Vista basic Infusion Pump

637-202

1

Vista basic Infusion Pump with 1.2 micron filter and backcheck valve



(15 drops/mL) Universal spike, roller clamp, Supor 1.2 micron air eliminating filter, backcheck valve approx. 28 in. above distal end, standard injection site 6 in. above distal end, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 22 mL, Length: 117 in. (approx. 297 cm)

352456

50

Vista basic Infusion Pump with CARESITE® Luer Access Device and backcheck valve




(15 drops/mL) Universal spike, roller clamp, backcheck valve approx. 28 in. above distal end, CARESITE® luer access device 6 in. above distal end, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 17 mL, Length: 104 in. (approx. 264 cm)

352719

50

Vista basic Infusion Pump with 0.2 micron filter and backcheck valve



(15 drops/mL) Universal spike, backcheck valve, two CARESITE luer access devices approx. 80 in. and 6 in. above distal end, roller clamp, SUPOR® 0.2 micron air eliminating filter, backcheck valve and SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 23 mL, Length: 124 in. (approx. 315 cm)

US9923F

50

Vista basic Infusion Pump with backcheck valve



(15 drops/mL) Universal spike, roller clamp, backcheck valve approx. 28 in. above distal end, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 17 mL, Length 108 in. (approx. 274 cm)

V9905

50

Vista basic Infusion Pump with 0.2 micron filter and backcheck valve








(15 drops/mL) Universal spike, roller clamp, Supor® 0.2 micron air eliminating filter, backcheck valve approx. 28 in. above distal end, standard injection site 6 in. above distal end, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 20 mL, Length: 119 in. (approx. 302 cm)

V9902F


50

NOTE: To utilize the Free Flow Protection Feature of this set, the height of the IV container should not exceed 40 in. (102 cm) above the backcheck valve. Not intended for gravity infusion.

Description	Product Code	Unit Per cs
<p>Set for Vista basic Infusion Pump with 1.2 micron filter</p>  <p>(15 drops/mL) Universal spike, roller clamp, Supor 1.2 micron air eliminating filter, slide clamp, CARESITE® luer access device 6 in. above distal end, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 23 mL, Length: 98 in. (approx. 249 cm)</p>	470115	50
<p>Set for Vista basic Infusion Pump with 1 CARESITE® Luer Access Device</p>  <p>(15 drops/mL) Universal spike, slide clamp, roller clamp, CARESITE® luer access device 6 in. above distal end, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 20 mL, Length: 111 in. (approx. 282 cm)</p>	354201	50
<p>Set for Vista basic Infusion Pump with 0.2 micron filter</p>  <p>(15 drops/mL) Universal spike, backcheck valve, two CARESITE luer access devices approx. 87 in. and 6 in. above distal end, roller clamp, SUPOR® 0.2 micron air eliminating filter, slide clamp, SPIN-LOCK connector. Not made with DEHP or natural rubber latex. Priming volume: 19 mL, Length: 104 in. (approx. 264 cm)</p>	354207	50
<p>Sets for Vista basic Infusion Pump with 2 CARESITE® Luer Access Devices</p>  <p>(15 drops/mL) Universal spike, slide clamp, backcheck valve, two CARESITE luer access devices approx. 87 in. and 12 in. above distal end, roller clamp, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 20 mL, Length 104 in. (approx. 264 cm)</p>	354203	50
<p>Sets for Vista basic Infusion Pump with 2 CARESITE® Luer Access Devices</p>  <p>(60 drops/mL) Universal spike, slide clamp, backcheck valve, two CARESITE luer access devices approx. 87 in. and 12 in. above distal end, roller clamp, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 19 mL, Length 103 in. (approx. 262 cm)</p>	354204	50
<p>Set for Vista basic Infusion Pump with 3 CARESITE® Luer Access Devices</p>  <p>(15 drops/mL) Universal spike, backcheck valve, three CARESITE luer access devices approx. 85 in., 41 in., and 6 in. above distal end, roller clamp, slide clamp, SPIN-LOCK® connector. Not made with DEHP or natural rubber latex. Priming volume: 20 mL, Length 112 in. (approx. 284 cm)</p>	354205	50
<p>Blood Administration Set for Vista basic Infusion Pump with 1 CARESITE® Luer Access Device</p>  <p>(10 drops/mL) Y-type blood set, two non-vented spikes, two roller clamps, 170 micron blood filter, slide clamp, roller clamp, CARESITE luer access device 6 in. above distal end, SPIN-LOCK® connector. Not made with natural rubber latex. Priming volume: 31 mL, Length 110 in. (approx. 279 cm)</p>	354217	50

INFUSION SYSTEMS

Description	Product Code	Unit Per cs
IV Poles and Stands		
Custom IV multi stand for Space Infusion Pumps, support handle, rake top, six leg base with off-center pole to specifically accomodate Spacestation	N7537	1
Custom IV stand, six legs with heavy duty casters and secondary hook	N7516	1
Custom IV stand, four legs with heavy duty casters and secondary hook (not pictured)	N7514	1
Custom Patient Pal® IV Stand with patient hand grip, heavy duty casters, oxygen cylinder platform, secondary hook, four legs	N7515G	1
Custom multi-device stand, six legs with heavy duty casters and secondary hooks	N7617	1
Custom IV multi-device stand with attachment designed to hold 4 devices, six legs with heavy duty casters, 4 plug adapter, oxygen cylinder platform and secondary hook	N7517	1
Custom utility IV stand with five legs	N7518	1
Trans-Pal® IV stand with six legs. Features include pole connection to patient bed, support wheel with tray and 2 telescoping stainless steel poles with rake top	N7533	1
Versa Pole® telescoping stainless steel IV pole with 2 stainless steel hooks. Attaches to bed headboard or gurney during transport. Pole is 24" fully extended and features slow descending inner pole	N7534	1
Custom IV multi device stand, six legs, modified Omni-Pal™ stand (not pictured)	N7717	1



Omni-Pal is a trademark and Patient Pal, Trans-Pal, and Versa Pole are registered trademarks of Pryor Products, Inc.

General Ordering Information and Terms of Sale

Thank you for your interest in B. Braun Medical Inc. ("B. Braun") products. The following provisions set forth the terms and conditions on which B. Braun sells its products.

Terms of Sale: Purchase of any products sold by B. Braun shall be subject to and expressly limited by the terms and conditions contained herein. No changes to, waiver of, or addition to any of these terms and conditions shall be effective unless agreed to in writing and signed by B. Braun. Buyer acknowledges and agrees that these terms and conditions supersede the terms and conditions of any purchase order or other documentation used by Buyer and, except for delivery and billing addresses, and quantities prices and items ordered, any conflicting or additional terms are void and have no effect, but that Buyer may place orders by use of purchase orders and other documentation for its convenience purposes only. Notwithstanding the foregoing, B. Braun reserves the right at any time to amend these terms and conditions, and Buyer shall be deemed to accept such amended terms and conditions by ordering products herein offered after the date of such amendment. Additional special terms and conditions of B. Braun may be applicable with respect to certain products.

Minimum Order Quantity: All products must be ordered in full case quantities. Orders received with a value of less than \$250.00 will be subject to a handling charge of \$40.00. Wholesalers and Distributors are subject to a handling charge of \$75.00 for orders less than \$1,000.00.

Prices: All pricing quotes must be documented in writing and signed by B. Braun to be valid. Prices quoted, unless otherwise stated, refer to full case quantities. All prices are firm for 30 days from the date quoted. B. Braun reserves the right to change the prices and specifications of its products at any time without notice.

Products purchased from distributors will be at the prices set by those distributors and subject to the terms and conditions of sale of the distributor.

Tax Information: Any tax, assessment, duty, custom or other fee of any nature imposed upon the products, their sale, transportation, delivery, use or consumption shall be paid by Buyer in addition to the price quoted or invoiced. If B. Braun is required to prepay any such tax or fee, Buyer will reimburse B. Braun. Buyer must provide B. Braun with a resale/exemption certificate in order to avoid the withholding of applicable taxes. No refund or adjustment to previously withheld taxes will be made by B. Braun sixty (60) days after the invoice date. Proof of certification should be mailed to: B. Braun Medical Inc., 824 Twelfth Avenue, Bethlehem, PA 18018-0027.

Payment: Payment terms are net 30 days from date of invoice. Credit card payments will not be accepted without prior approval from B. Braun. Buyer's obligation to pay outstanding invoices and all other amounts is absolute and unconditional and is not subject to any abatement, reduction, set-off, defense, counterclaim, interruption, deferment or recoupment for any reason whatsoever. Balances remaining unpaid at due date are subject to a interest charge of **1.5%** per month or the highest rate permitted by law, whichever is lower, until paid.

Any discounts, rebates, administrative fees, credits, or other fees due or owed to Buyer will be applied against delinquent balances before payment or reimbursement is made.

Any disputed amounts should be reported immediately and remitted with the undisputed amount by the payment due date. If B. Braun agrees with the billing dispute, B. Braun will credit Buyer the amount of the agreed-upon billing dispute. All billing disputes must be made within six (6) months of the applicable invoice date, or will be deemed to be waived.

B. Braun reserves the right in its sole discretion to require prepayment from any Buyer at any time and may refuse to sell and/or withhold further shipment until all overdue balances are made current. Buyer shall be liable for, and shall reimburse B. Braun for all costs and expenses it may incur in connection with collection of any amounts owed to B. Braun or enforcement of its rights, including without limitation, reasonable attorneys' fees and expenses, court costs, and cost of collection agencies.

Returned Goods Policy: Product returns are subject to the following conditions:

1. All returns are subject to the prior authorization of B. Braun, in its discretion. Buyer must notify Customer Support at (800) 227-2862 and complete a Return Request Form. The Return Request Form requires lot numbers, quantities and catalog numbers along with a specific reason for return. Customer Support will either authorize or deny the request for return. Only items appearing on an approved Return document are acceptable for return. Product returns will only be accepted from the original purchaser. Product returns will not be accepted from third party return companies. Unauthorized returns will be destroyed and no credit issued. All authorized returned goods must be shipped freight prepaid to the B. Braun location indicated on the Return document, except B. Braun will pay freight costs for Product shipped-in-error.
2. All Products returned within 30 days of delivery are subject to a 25% restocking charge, except for Products shipped-in-error. Products returned after 30 days are considered excess stock and will be eligible for 50% credit. No Products will be accepted for return after 90 days from the date of delivery.
3. Subject to paragraph 2 above, credit will be issued at the net

purchase price for all authorized returns provided:

- a. Products have at least one year shelf-life remaining, or products with original expiration dating of eighteen months or less have at least six months shelf-life remaining.
 - b. Proper authorization has been obtained prior to return of products.
 - c. Products are in their original packaging.
 - d. Products are current inventory items.
 - e. The Products have been shipped and billed to Buyer by B. Braun, and Buyer has paid for said Products.
4. Certain Products **are not eligible for return**. These are:
 - a. Products that have deteriorated because of improper storage, handling, abuse or other factors.
 - b. Products that have been opened, partly used or which the labels or seals have been removed or tampered.
 - c. Products that have been involved in a special promotion sale.
 - d. Broken, damaged or opened cases. Resealed cartons are not eligible for return.
 - e. Special products made to Buyer's specification.
 - f. Sets over two (2) years old, flush syringe products, infusion systems devices, related accessories and IV poles.
 5. Products that are to be returned for repair (e.g., medical device equipment) must be accompanied by an approved Repair Notification.

Expiration Date: On dated products, the expiration date is shown for month and year, e.g., August 2012, 8/12. The date of expiration is the last day of the given month, e.g., August 31, 2012.

Credits for returned goods are conditioned upon B. Braun's inspection and approval of such goods upon their return. If B. Braun determines, in its discretion, that any returned goods are not eligible for return due to any of the reasons provided in paragraph 4 above, Buyer will not receive a credit, even if an Return document was issued. No advance credits will be accepted.

Warranty: With respect to disposable products, B. Braun warrants to the original purchaser that, at time of delivery, each standard product manufactured by B. Braun shall be free of defects in material and workmanship and, when used for the purposes and indications described on the labeling, is fit for the purposes and indications described on the labeling. All warranties for a product shall expire as of product expiration date, or if none, after one (1) year from the date of shipment from B. Braun. B. Braun's warranty hereunder shall not apply if: (i) a product is not used in accordance with its instructions or if it is used for a purpose not indicated on the labeling, (ii) any repairs, alterations or other work has been performed by Buyer or others on such item, other than work performed with B. Braun's authorization and according to its approved procedures; or (iii) the alleged defect is a result of abuse, misuse, improper maintenance, accident or the negligence of any party other than B. Braun. The warranty set forth herein is conditioned upon proper storage, installation, use and maintenance in accordance with applicable written recommendations of B. Braun. The warranty furnished hereunder does not extend to damage to items purchased hereunder resulting in whole or in part from the use of components, accessories, parts or supplies not furnished by B. Braun.

B. Braun's sole obligation shall be to repair or replace, at B. Braun's option, any defective component or item and pay transportation expenses for such replacement. Buyer shall provide labor for the removal of the defective component or item and installation of its replacement at no charge to B. Braun. Buyer shall bear all risk of loss or damage to returned goods while in transit. In the event no defect or breach of warranty is discovered by B. Braun upon receipt of any returned item, the item will be returned to Buyer at Buyer's expense and Buyer will reimburse B. Braun for the transportation charges, labor and associated charges incurred in testing the allegedly defective item.

Except as expressly provided herein, B. Braun makes no representation or warranty of any kind, expressed or implied with respect to any products, parts or services provided by B. Braun including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Products distributed, but not manufactured, by B. Braun are not warranted by B. Braun and Buyer must instead rely on the representations and warranties, if any, provided directly to Buyer by the manufacturer of such product. The sole and exclusive remedy for breach of any warranty is limited to the remedies provided in the paragraph above.

Warranties for infusion system devices are provided in a separate warranty document.

Miscellaneous:

1. Any required notices shall be given in writing, in the case of B. Braun, at the address set forth below, and in the case of Buyer, at the address designated on Buyer's purchase order or to such other address as either party may substitute by written notice to the other and shall be deemed given upon personal delivery, overnight delivery or three days following deposit in the mail.
2. Except as expressly provided herein, no changes or modifications to, or waiver of, any of these terms and conditions shall be valid or binding on either party unless in writing and signed by an authorized representative of each party. B. Braun's failure or delay to exercise or enforce any of its rights hereunder shall not constitute or be deemed to be a waiver of such rights or forfeiture of such rights, and B. Braun may, at its option, from time to time, exercise any of its rights or remedies.
3. These Terms bind Buyer and its successors and permitted assigns.
4. B. Braun will use its reasonable efforts to fill orders, but B. Braun shall not be liable for nonperformance or delays caused by a shortage of raw materials, manufacturing problems, delivery or labor problems, priorities, acts of regulatory agencies or judicial bodies, discontinuation of a product line, acts of God or third parties, infringement claims, or other causes beyond its reasonable control. Buyer agrees that in such events B. Braun may allocate products among all purchasers as it deems reasonable, without liability.
B. Braun reserves the right from time to time to substitute a product with a product that has the same function as such product, or to delete a product.
5. The products are sold subject to Pennsylvania law. These terms and any dispute or claim relating to these terms or the sale of products ("Claim") shall be governed by and construed under Pennsylvania law, notwithstanding its law of conflicts of law. If any Claim cannot be settled amicably between the parties, such Claim shall be tried by a court and not a jury. Buyer expressly and unconditionally waives its rights to a jury trial in any such Claim.
6. B. Braun shall promptly deliver written notice or verbal, followed by written, notice of any recall of Product. Should the recall require Products be removed from the market, B. Braun shall, to the extent reasonably possible and at B. Braun's option, replace any such recalled Products as soon as practicable with comparable Products not subject to such recall or repair any such recalled Products and return them to Buyer.
7. Buyer may not change, adulterate, obscure, remove or deface trademarks, tradenames or labels appearing on any Product of B. Braun.
8. If the pricing offered by B. Braun to a Buyer constitutes a discount or other reduction in price under Section 1128(b)(3)(a) of the Social Security Act 42 U.S.C. 1320a-7b(b) (3)(a), and C.F.R. § 1001.952(h), Buyer shall disclose the discount or reduction in price to the fullest extent required under any state or federal program that provides cost or charge-based reimbursement to Buyers for products. This act requires, among other things, that Buyer fully and accurately report on any claim or request for payment it submits to Medicare and Medicaid the actual purchase price paid by Buyer for products, net of any discounts, rebates or allowances provided hereunder. Buyer may also be required, upon request, to provide documentation of the discount or other reduction in price to the Secretary of Health and Human Services.
9. In all cases, all intellectual property rights in and to, and all technology relating to, the Products supplied to Buyer, their design and all improvements thereto or thereof, whether or not such Product, design or improvement is made pursuant to Buyer's specifications or at Buyer's expense, shall be and remain the exclusive property of B. Braun.
10. Any knowledge or information that Buyer may disclose to B. Braun shall not be deemed to be confidential or proprietary information, and shall be acquired by B. Braun free from any restriction.
11. B. Braun shall not in any event be liable to buyer for any indirect, incidental, special, punitive or consequential damages (including any damage for lost profits), or otherwise arising out of or in connection with furnishing of products, parts or service hereunder, or the performance, use of, or inability to use any products, parts or service, or otherwise, whether based in contract, warranty, tort, including without limitation, negligence, or any other legal or

equitable theory. B. Braun's total liability for any claim or action shall not exceed the purchase price of the products out of which such claim or action arose.

12. If any of the products are medical devices, Buyer acknowledges that it is familiar with the Safe Medical Devices Act of 1990 (the "Devices Act") and the reporting obligations imposed on device users thereunder. In this regard, Buyer agrees to notify B. Braun within ten (10) days of the occurrence of any event identified in the Devices Act imposing a reporting obligation on Buyer and/or B. Braun (except for events representing an imminent hazard that require notification to the United States Food and Drug Administration (the "FDA") within seventy-two hours, in which case, such notice will be delivered to the other party immediately). Buyer shall maintain adequate tracking for the products to enable B. Braun to meet the FDA requirements applicable to the tracking of medical devices.
13. Buyer shall purchase the products for its own use only, and shall not resell the products to any other party. Buyer represents it has examined the products and that they are acceptable and clinically suitable for its intended purposes.

Shipping:

1. Freight charges will be prepaid when orders are shipped via a transportation mode and carrier selected by B. Braun. Unless otherwise stated in an agreement, shipment of infusion systems devices will be made F.O.B. Origin.
2. When expedited delivery, specialized service, or alternate transportation modes are requested, or if requests are inconsistent with efficient distribution practices, an additional charge to cover the premium expense will be added to the invoice. Inside deliveries are subject to additional charges based on current common carrier rates or hourly rates. Palletized deliveries are encouraged.
3. Products will be shipped on a scheduled order and delivery basis. Orders shipped outside Buyer's order and delivery schedule may be subject to a handling charge of \$75.00. B. Braun will provide proof of delivery upon request.

Damage or Loss in Transit: Identity of items and extent of damage or loss must be noted on Buyer's copy of delivery document by the agent of the transportation company. If damage is discovered after receipt of shipment, notify the transportation company immediately and request that inspection be made and an inspection report rendered. Buyer must report concealed shortages or damages within palletized shipments to B. Braun Customer Support within 3 business days of delivery or credit will not be allowed. In addition, Buyer must provide B. Braun with a copy of Buyer's claim request accompanied by a delivery receipt or an inspection report upon which the transportation company has properly noted damage or loss, and B. Braun will issue a credit for the loss or damage and file a claim with the carrier. If such information is not received within ten (10) days of delivery, no credit will be issued.

Send copy of carrier freight bill to Customer Support indicating item and quantity damaged or not received.

Count and inspect your freight before carrier departs. Damaged merchandise should not be accepted.

Please forward all information to Attn: Customer Support, B. Braun Medical Inc., 901 Marcon Blvd., Allentown, PA 18109. (800) 227-2862.

For Order Placement: B. Braun welcomes orders either by telephone, fax, mail or electronically. For telephone orders, please call (800) 227-2862. Faxed orders should be sent to: (610) 266-6122. For infusion devices, call (800) 627-7867 or fax (610) 266-2429. In Canada, please call (800) 624-2920 or fax (800) 624-2939. Mail orders should be directed to Attn: Customer Support, B. Braun Medical Inc., 901 Marcon Blvd, Allentown, PA 18109.

Trademarks

Trademarks of B. Braun Medical Inc. and its affiliates:

ADD-PRO	Cytoguard	Injekt	SPACE	ULTRABLOCK
Adimea	DoseCom	Physiolyte	SAFEPORT	ULTRAPORT
Apex	DoseGuard	PIC	Ster-ASSIST	ULTRAPORT zero
AutoCOMPLETE	DoseScan	PinPad	Superset	
B-Smart	EPICAN	QC Tester	Titan XL	
Chemo Dispensing Pin	Flexima	RateGuard	Transofix	
CONTIPLEX	Hyperformer	RED CAP	UniSpike	

Registered trademarks of B. Braun Medical Inc. and its affiliates:

addEASE	Diapact	FreAmine HBC	NephrAmine	PINNACLE	STIMUPLEX
ADDitIV	DISCOFIX	H.E.L.P.	Nutrilipid	Plasmat	TrophAmine
BIG TAB	DoseTrac	HepatAmine	Omnican	PLEXUFIX	ULTRASITE
CAPS	Duosol	Horizon NXT	OMNIFIX	ProcalAmine	VISTA
CARESITE	DUPLEX	HESpan	ONGUARD	Prontosan	WHIN
ClearChoice-DCB	E3	Hyperlyte	Outlook	Rate Flow	
Clip Lock	ESPOCAN	Infusomat	PAB	SAFELINE	
Diacap	EXCEL	Isolyte	PENCAN	SAFSITE	
Diacap a Polysulfone	Filterflow	MICRO PIN	Perfusor	Solcart B	
DiaLines	FILTER STRAW	MINI-SPIKE	PERIFIX	SPIN-LOCK	
Dialog+	FreAmine	MULTI-AD	Physiolyte	SPINOCAN	

ChloraPrep and SEPP are registered trademarks of CareFusion 2200, Inc.

T-Pak is a registered trademark of Allegiance.

CIV-Flex is a trademark of CIVCO Medical Instruments Company, Inc.

DuraPrep, Steri-Strip and Tegaderm are registered trademarks of 3M.

Medic is a registered trademark of Medisystems Corporation.

Microsoft Access and Windows are registered trademarks of Microsoft Corporation.

Monoject is a registered trademark of Covidien, AG.

NeedleVISE is a registered trademark of Atrion Medical Products, Inc.

Omnipal is a trademark and Patient Pal, Trans-Pal, and Versa Pole, are registered trademarks of Pryor Products, Inc.

OpSite is a registered trademark of T.J. Smith and Nephew, Ltd.

PeraChek, PERACIDIN and PeraSidual are registered trademarks of Angelini Pharma Inc.

Plastipak, SafetyGlide and Vacutainer are registered trademarks of Becton Dickinson and Co.

Statlock is a registered trademark of C.R. Bard, Inc.

Steripick, Locksite, Buttonhole, MasterGuard, FingerShield, SecureClip and Streamline are registered trademarks of NxStage Medical, Inc.

SUPOR is a registered trademark of the Pall Corporation.

Tevadaptor is a registered trademark of Teva Medical Ltd.

Trissel's is a trademark of Lawrence A. Trissel.

Velcro is a registered trademark of Velcro Industries B.V.

B. Braun Medical Inc. | Bethlehem PA

1-800-627-7867 | bbraunusa.com